

June 19, 2025

FROM: Melanie Earle, Road and Bridge Warehouse Coordinator

TO: Abby Booker, County Treasurer

SUBJECT: EFFECTIVE DATE OF EMPLOYMENT:

Please be advised of the effective date of employment for Steve Morris, Temporary Operator, for Panola County Road & Bridge Department, Pct.4, effective June 30, 2025, through December 18, 2025, at the rate of \$22.29 per hour.

Melanie Earle

*Melanie Earle*

Road and Bridge

Warehouse Coordinator

## PERSONNEL CHANGE REQUEST

Name: RYAN MCKINLEY

Department: ROAD AND BRIDGE PCT 1

Position: MECHANIC

New Position

(If applicable) NA

Current wage or salary


\$24.50

New wage or salary

\$26.25


Effective date of change

JULY 14, 2025



Elected Official/Department Head

Signature



Date Signed

June 26, 2025

FROM: Melanie Earle, Road and Bridge Warehouse Coordinator

TO: Abby Booker, County Treasurer

SUBJECT: EFFECTIVE DATE OF EMPLOYMENT:

Please be advised of the effective date of employment for Jimmy Humphries, Operator, for Panola County Road & Bridge Department, Pct.1, effective July 7, 2025, at the rate of \$21.36 per hour.

Melanie Earle

*Melanie Earle*

Road and Bridge

Warehouse Coordinator

# PANOLA COUNTY SHERIFF'S OFFICE

Office: 903-693-0333  
Fax: 903-693-9366



314 W. Wellington  
Carthage, Texas 75633

June 25, 2025

## Sheriff Cutter Clinton

The Honorable Rodger McLane  
Panola County Judge  
110 S. Sycamore  
Carthage, Texas 75633

Dear Judge McLane,

Please add the following item(s) to the next scheduled meeting of the Panola County Commissioner's Court:

Please record a change in status of employment for Chris Adams from Jail Sergeant to License and Weight Deputy Sheriff with the Panola County Sheriff's Office effective July 1, 2025 at the rate of \$25.70 per hour plus uniform allowance.

Please record a change in status of employment for Travis Wilson from Transport Deputy Sheriff to Inmate Labor Deputy Sheriff with the Panola County Sheriff's Office effective June 28, 2025 at the rate of \$25.70 per hour plus uniform allowance.

Please record a change in status of employment for James Jablon from Patrol Deputy Sheriff to Transport Deputy Sheriff with the Panola County Sheriff's Office effective June 28, 2025 at the rate of \$25.70 per hour plus uniform allowance.

Please record a change in status of employment for Drake Murry from Detention Officer to Patrol Deputy Sheriff with the Panola County Sheriff's Office effective June 28, 2025 at the rate of \$25.70 per hour plus uniform allowance.

Please record the appointment of David Jeter to the position of Reserve Deputy Sheriff for the Panola County Sheriff's Office effective July 1, 2025.


Please record the appointment of Amber King to the position of Reserve Deputy Sheriff for the Panola County Sheriff's Office effective July 1, 2025.

Please record the request to add an additional phone line to the Verizon Wireless service to be used by the Panola County Sheriff's Office.

**Honesty, Integrity, Service**



Sincerely,

A handwritten signature in black ink, appearing to read "Clinton". The signature is stylized with a large, sweeping initial "C" that loops around the first part of the name.

Cutter Clinton  
Sheriff

CC/lw

CC: Jennifer Stacy  
Abby Booker

# Donation

Date 6-17-25

The undersigned has secured a contribution from Sabine Oil & Gas to Panola County for use in the Panola County Road and Bridge Fund. This contribution consists of:

\$ 11,134.52 - materials and/or

material of the following type and amount Road and oil dirt


This donation is to be used as needed by the Panola County Road and Bridge Department to improve Panola County road number 326, or if no road is indicated, then it is to be used to improve any Panola County road as seen fit by the Department. This donation must be accepted by the Panola County Commissioners' Court according to Local Govt. Code sec. 81.032 and Transportation Code sec. 252.214 and any money will be held by the Panola County Treasurer pending approval of deposit in the Road and Bridge Fund. Any material will not be used prior to the approval of the Court.

I acknowledge that this is intended as a donation and that no person or corporation has been promised any other benefit because of the donation, nor have been induced or coerced in any way by any official or employee of Panola County. I further certify that this donation was given freely and voluntarily.

[Signature] Commissioner, Precinct# 3

Sworn and subscribed to this 17th day of June, 2025.

Vicki Heinkel, Notary Public, State of Texas, My commission expires 1-6-2027



(Panola County Commissioners' Court use only)  
This item was accepted / disapproved (strike one) at a meeting of the Panola County Commissioners' Court on this 1st day of July, 2025.  
County Judge [Signature]

# INVOICE

Invoice #: 180960  
 Date: 06/11/25  
 Customer No: 27050  
 Job #: PANOLA 328  
 PO #: CRAIG LAWLESS

From: Longview Asphalt, Inc.  
 P.O. Box 3661  
 ar@longviewasphalt.com  
 Longview TX 75606 US

Sold To: Sabine Oil & Gas Corporation  
 1520 Marvin A. Smith  
 ATTN: Accounts Payable  
 Kilgore, TX 75662

Delivered To:

Sale Date	Ticket	Units	UM	Unit Price	Matl Total	Haul Total	Tax Code	Tax	Total
Sale Date: 06/10/25									
MATERIAL: MM B - Stone									
06/10/25	W628703	23.720	TON	51.0000 E	1,209.72	355.80	TX0000	0.00	1,565.52
06/10/25	W628704	22.950	TON	51.0000 E	1,170.45	344.25	TX0000	0.00	1,514.70
MATERIAL: MM Jones MM 88-2									
06/10/25	W628738	23.300	TON	45.2500 E	1,054.33	348.50	TX0000	0.00	1,402.83
06/10/25	W628740	23.800	TON	45.2500 E	1,076.07	257.90	TX0000	0.00	1,437.57
Total: 06/10/25					4,514.17	1,407.45		0.00	5,921.62
Total: Cust PO: CRAIG LAWLESS					4,514.17	1,407.45		0.00	5,921.62

# INVOICE

Invoice #: 180048  
Date: 06/11/25  
Customer No: 27050  
Job #: PANOLA CO. - CR 326  
PO #: CRAIG LAWLESS

**From:** Longview Asphalt, Inc.  
P.O. Box 3661  
ar@longviewasphalt.com  
Longview TX 75606 US

**Sold To:** Sabine Oil & Gas Corporation  
1520 Marvin A. Smith  
ATTN: Accounts Payable  
Kilgore, TX 75662

**Delivered To:**

Sale Date	Ticket	Units	UM	Unit Price	Matl Total	Haue Total	Tax Code	Tax	Total
Sale Date: 08/10/25									
MATERIAL: P302-Comm. Oil Det									
08/10/25	E732600	24.000	TON	96.0000 E	2,286.70	360.90	TX0000	0.00	2,648.00
08/10/25	E710602	23.330	TON	96.0000 E	2,218.35	348.95	TX0000	0.00	2,566.30
Total: 0740205					4,502.05	709.85		0.00	5,212.00
Total: Cust PO: CRAIG LAWLENS					4,502.05	709.85		0.00	5,212.00



# Donation

Date 6-17-28

The undersigned has secured a contribution from Sabine Oil & Gas to Panola County for use in the Panola County Road and Bridge Fund. This contribution consists of:

\$ 17,559.<sup>50</sup> - Materials and/or

material of the following type and amount Rock & oil dirt


This donation is to be used as needed by the Panola County Road and Bridge Department to improve Panola County road number 320, or if no road is indicated, then it is to be used to improve any Panola County road as seen fit by the Department. This donation must be accepted by the Panola County Commissioners' Court according to Local Govt. Code sec. 81.032 and Transportation Code sec. 252.214 and any money will be held by the Panola County Treasurer pending approval of deposit in the Road and Bridge Fund. Any material will not be used prior to the approval of the Court.

I acknowledge that this is intended as a donation and that no person or corporation has been promised any other benefit because of the donation, nor have been induced or coerced in any way by any official or employee of Panola County. I further certify that this donation was given freely and voluntarily.

[Signature] Commissioner, Precinct# 3

Sworn and subscribed to this 17th day of June, 20 25.

Vicki Heinkel, Notary Public, State of Texas, My commission expires 1-6-2027



(Panola County Commissioners' Court use only)  
This item was accepted / disapproved (strike one) at a meeting of the Panola County Commissioners' Court on this 1st day of July, 20 25.  
County Judge [Signature]

# INVOICE

Invoice #:	180789
Date:	06/5/25
Customer No:	27050
Job #:	PANOLA CR 320
PO #:	JAY MAYFIELD

From: Longview Asphalt, Inc.  
P.O. Box 3661  
ar@longviewasphalt.com  
Longview TX 75606 US

Sold To: Sabine Oil & Gas Corporation  
1520 Marvin A. Smith  
ATTN: Accounts Payable  
Kilgore, TX 75662

Delivered To:

Sale Date	Ticket	Units	UM	Unit Price	Matl Total	Haul Total	Tax Code	Tax	Total
Sale Date: 06/04/25									
MATERIAL: P302-Comm. Oil Dirt									
06/4/25	E718251	22.950	TON	95.0000 E	2,180.25	384.41	TX0000	0.00	2,564.66
06/4/25	E718252	23.830	TON	95.0000 E	2,263.85	399.15	TX0000	0.00	2,663.00
06/4/25	E718253	24.820	TON	95.0000 E	2,357.00	415.74	TX0000	0.00	2,773.64
Total: 6/4/2025					6,802.00	1,199.30		0.00	8,001.30
Total: Cust PO: JAY MAYFIELD					6,802.00	1,199.30		0.00	8,001.30

6,802.00 1,199.30 8,001.30

## INVOICE

Invoice #: 180897  
 Date: 08/5/25  
 Customer No: 27050  
 Job #: PANOLA CR 320  
 PO #: JAY MAYFIELD

From: Longview Asphalt, Inc  
 P O. Box 3661  
 ar@longviewasphalt.com  
 Longview TX 75606 US

Sold To: Sabine Oil & Gas Corporation  
 1520 Marvin A. Smith  
 ATTN: Accounts Payable  
 Kilgore, TX 75662

Delivered To:

Sale Date	Product	Units	UM	Unit Price	Matt Total	Hand Total	Tax Code	Tax	Total
Sale Date: 08/04/25									
MATERIAL: MM B - Stone									
08/04/25	W520654	24.420	TON	51.0000 E	1,246.42	409.04	TX0000	0.00	1,654.46
08/04/25	W520655	23.700	TON	51.0000 E	1,208.70	396.88	TX0000	0.00	1,605.58
08/04/25	W520656	24.710	TON	51.0000 E	1,260.21	413.89	TX0000	0.00	1,674.10
MATERIAL: MMH Jones MII 95-2									
08/04/25	W520682	24.600	TON	45.2500 E	1,111.34	411.38	TX0000	0.00	1,522.72
08/04/25	W520684	24.510	TON	45.2500 E	1,109.08	410.64	TX0000	0.00	1,519.82
08/04/25	W520686	25.510	TON	45.2500 E	1,154.53	427.29	TX0000	0.00	1,581.82
Total: 08/04/25					7,889.28	2,658.12		0.00	8,547.40
Total: Cust PO: JAY MAYFIELD					7,889.28	2,658.12		0.00	8,547.40



**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Gemini Carthage Pipeline, LLC proposes to place a  
(COMPANY NAME)

8" line within the Right-of-Way  
(PIPE SIZE)

of County Road: 317 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 53.8' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 7th day of  
July

FIRM: Gemini Carthage Pipeline, LLC

BY: Shawn Harvey

TITLE: Sr. ROW Agent

ADDRESS: 8051 Shreve Park Drive Shreveport, LA 71129

PHONE: (903) 285-7774

# APPROVAL

July 1, 2025

TO: Gemini Carthage Pipeline, LLC  
Attn: Shawn Harvey  
8051 Shreve Park Drive  
Shreveport, LA 71129

RE: **County Road #317**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **8" line** within the right-of-way of Panola County Road **#317**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:


1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.

5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:


Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone



SCALE:

HORIZONTAL:  
1" = 30'

VERTICAL:  
1" = 10'



**SPECIFICATIONS:**

PIPE: 8.000" O.D. X 0.365" W.T. GR. X-52  
COATING: 16-18 MILS FBE + 30 MILS ARO  
MAXIMUM ALLOWABLE OPERATING PRESSURE: 1440 PSIG  
CROSSING METHOD: CONVENTIONAL BORE  
CATHODIC PROTECTION: IMPRESSED CURRENT

COORDINATES, BEARINGS, AREAS, AND DISTANCES SHOWN ARE GRID BASED  
ON THE TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE  
(4202), NAD 1983, ELEVATIONS ARE REFERENCED TO NAVD88.

DRAWN	KNG	DATE: 06/16/2025
CHECKED	MCG	AFE:
APP'D	MCG	GGG:
SCALE	1"=30'	
REV#	DATE	DESC.

GEMINI CARTHAGE  
PIPELINE, LLC.

**Bowman**  
4901 E End Blvd S, Marshall, Tx 75672  
www.bowman.com 903.471.8391  
TBPELS Firm No. 10120600

PROPOSED 8" PIPELINE CROSSING  
COUNTY ROAD NO. 317  
ANDREW T. NICHOLSON SURVEY, A - 518  
PANOLA COUNTY, TEXAS

CLIENT PROJECT NAME: 25 HAYW TGNR WC MUA

JOB NO. 381608

DWG. NO. 381608-CR317

SHEET

1 OF 1

REV.

0







**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

8'-10' coax aerial drop to newly placed meter base pole with meter box for power supply line within the Right-of-Way  
(PIPE SIZE)

of County Road: 3062 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of Approx: 6' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 8th day of  
September, 2025.

FIRM: DFW Telecom  
BY: Kylie Lindsay  
TITLE: Project Coordinator  
ADDRESS: PO Box 450251, Garland, Texas  
75045  
PHONE: (405) 201-7089

# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Kylie Lindsay @ DFW Telecom  
P.O. Box 450251  
Garland, Tx. 75045

RE: **County Road #3062**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **8' - 10' coax aerial drop to newly placed meter base pole with meter box for power supply line** within the right-of-way of Panola County Road #3062.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.



5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone



NOTE  
CONTRACTOR IS RESPONSIBLE FOR MAINTAINING TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS

Parola County Road Power Supply

Project consist of approximately:  
approx. 8'-10' coax aerial drop to  
newly placed meter base pole with  
meter for power supply.

CA17E PID 3648574

Proposed Power Supply location on CR 3062

#### Legend



CA17E NEW PROPOSED OLT LOCATION




#### GENERAL CONSTRUCTION NOTES

- ALL CONSTRUCTION WORK WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE DONE IN ACCORDANCE WITH THE ORDINANCES AND REGULATIONS OF THE MUNICIPALITY IN WHICH THE WORK IS TO BE PERFORMED.
- EXISTING UTILITY LOCATIONS SHOWN ARE TAKEN FROM AVAILABLE RECORDS AND MAY NOT BE ALL INCLUSIVE. UTILITY LOCATIONS ARE GENERALLY SHOWN IN NATURE AND MAY NOT ACCURATELY REFLECT THE SIZE AND LOCATION OF THE UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION AND DEPTH OF ALL UTILITIES LOCATED IN THE FIELD AND THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT.
- THE CONSTRUCTION CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT.
- IT SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR TO: A) PREVENT DAMAGE TO PRIVATE AND PUBLIC PROPERTY. B) RESTORE ALL AREAS EFFECTED BY THE CONSTRUCTION TO ORIGINAL OR BETTER CONDITION.

5. BARRECHING AND TRAFFIC CONTROL SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR AND SHALL CONFORM TO THE "TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES". TRAFFIC FLOW AND ACCESS SHALL BE MAINTAINED DURING ALL CONSTRUCTION ACTIVITIES. THE CONSTRUCTION CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS.
6. THE CONSTRUCTION CONTRACTOR SHALL ABIDE BY ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS GOVERNING CONSTRUCTION ACTIVITIES. THE CONSTRUCTION CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES WHETHER SHOWN OR NOT.
7. ALL CONCRETE USED IN ANY ROADWAY SHALL BE IN COMPLIANCE WITH THE SPECIFIED CLASSES OF CONCRETE IN THE STANDARD SPECIFICATIONS 5.8 "PORTLAND CEMENT CONCRETE PAVEMENT" AND 7.4.3 "QUALITY OF CONCRETE" FOR CONSTRUCTION - "2004". ALL OTHER CONCRETE SHALL BE CLASS A CONCRETE.
8. ALL REINFORCING STEEL AND DOWEL BARS IN PAVEMENT SHALL BE SUPPORTED AND MAINTAINED AT THE CORRECT CLEARANCES BY THE USE OF BAY CHAINS OR OTHER APPROVED SUPPORT.
9. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 42" OF COVER, UNLESS OTHERWISE SPECIFIED.
10. ALL BACKFILLING WILL BE MECHANICALLY TAMPED IN LIFTS TO A DENSITY OF 95% PROCTOR. THE REQUIRED DENSITY WILL BE OBTAINED BY USING TAMPERS, RAMMERS OR ROLLING EQUIPMENT. LIFTS MAY VARY ACCORDING TO THE TYPE OF BACKFILL MATERIAL USED TO OBTAIN THE REQUIRED DENSITY. SAND AND GRAVEL FREE MATERIAL WILL BE USED FOR BACKFILL.



UNDERGROUND CONDUIT 1-2" HDPE



PREPARED BY: DFW TELECOM, INC

**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 1-2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: 302 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 394' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 7th day of  
September, 2025.

FIRM: DFW Telecom  
BY: Kylie Lindsay  
TITLE: Project Coordinator  
ADDRESS: PO Box 450251, Garland, Texas  
75045  
PHONE: (405) 201-7089



# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Kylie Lindsay @ DFW Telecom  
P.O. Box 450251  
Garland, Texas 75045

RE: **County Roads #302, & #428**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 1-2' HDPE lines** within the right-of-way of Panola County Roads **#302 & #428**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.


5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:



Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone





### Panola County Road Overall

CA82E PID 6024127  
Underground on CR 302



PREPARED BY: DFW TELECOM, INC

**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 1-2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: 428 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 100' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 29th day of  
September, 2025.

FIRM: DFW Telecom

BY: Kylie Lindsay

TITLE: Project Coordinator

ADDRESS: PO Box 450251, Garland, Texas  
75045

PHONE: (405) 201-7089





NOTE: CONTRACTOR IS RESPONSIBLE FOR MAINTAINING TRAFFIC CONTROL DEVICES AS SET FORTH IN THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS

Panola County Road Overall

Project consist of approximately:



Underground: 100'

A30E PID 3725665  
Underground on CR 428




### GENERAL CONSTRUCTION NOTES

1. CONSTRUCTION WORK SHALL BE IN ACCORDANCE WITH THE DESIGN AND REQUIREMENTS OF THE PROJECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS.
2. EXISTING UTILITY LOCATIONS SHOWN ARE TAKEN FROM AVAILABLE RECORDS AND MAY NOT BE ALL INCLUSIVE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL UTILITIES AND STRUCTURES FROM DAMAGE DURING CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR RESTORING ALL UTILITIES AND STRUCTURES TO ORIGINAL OR BETTER CONDITION AFTER CONSTRUCTION IS COMPLETE.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS.
4. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO AVOID DAMAGE TO EXISTING UTILITIES AND STRUCTURES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES OF THE STATE OF TEXAS.
7. ALL CONCRETE USED IN ANY ROADWAY SHALL BE IN COMPLIANCE WITH THE SPECIFIED CLASS OF CONCRETE IN THE STANDARD SPECIFICATIONS 5.8, PORTLAND CEMENT CONCRETE PAVEMENT AND 7.4.5, "QUALITY OF CONCRETE" AND SHALL BE PLACED AND FINISHED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS 5.8, PORTLAND CEMENT CONCRETE PAVEMENT AND 7.4.5, "QUALITY OF CONCRETE".
8. ALL REINFORCING STEEL AND CONCRETE SHALL BE SUPPORTED AND MAINTAINED AT THE CORRECT CLEARANCES BY THE USE OF SADDLES OR OTHER APPROVED SUPPORT.
9. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 4" OF COVER, UNLESS OTHERWISE SPECIFIED.
10. ALL SIGNALING SHALL BE IN ACCORDANCE WITH THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS. THE TYPE OF EQUIPMENT USED TO OBTAIN THE REQUIRED DENSITY, SAND AND DEBRIS FREE MATERIAL WILL BE USED FOR SIGNALING.



UNDERGROUND CONDUIT 1-2" HDPE



PREPARED BY: DFW TELECOM, INC



**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC

\_\_\_\_\_ proposes to place a  
(COMPANY NAME)

Underground conduit 1-2" HDPE \_\_\_\_\_ line within the Right-of-Way  
(PIPE SIZE)

157, 1572, 120, 183, 184, 1842, 1834, 1831,  
of County Road: 183B, 1839, 118, 119, 1191, 1241, 1244, 1242 as follows:

1832 (NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 53,600' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 10th day of  
July, 2025

FIRM: Apex Civil Solutions  
BY: Luke Sandfort  
TITLE: Project Manager  
ADDRESS: 2674 Observation Trail  
Rockwall, TX 75032  
PHONE: (214) 866-9698

# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Luke Sandfort @ Apex Civil Solutions  
2674 Observation Trail  
Rockwall, Tx. 75032

RE: **County Roads #157, #1572, #120, #183, #184, #1842, #1834, #1831, #1832, #1839, #118, #119, #1191, #1241, #1244, & #1242**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 1-2" HDPE lines** within the right-of-way of Panola County Roads **#157, #1572, #120, #183, #184, #1842, #1834, #1831, #1832, #1839, #118, #119, #1191, #1241, #1244, & #1242.**

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any

culvert or within 10 feet of the closest point of same.

5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.


Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1 Billy Alexander  
Precinct #2 David A. Cole  
Precinct #3 Craig M. Lawless  
Precinct #4 Dale LaGrone



PROJECT LOCATION



ESTIMATED PROJECT TOTALS

DESCRIPTION	QUANTITY	UNIT	DESCRIPTION	QUANTITY	UNIT
TRENCH + CONDUIT		FT	PULL THRU EX CLIENT DUCT		FT
BORE + CONDUIT	53,600	FT	PULL THRU EX LEASE DUCT		FT
BORE + CASING		FT	PULL THRU EX SOC		FT
PLACE VAULT		EA	AERIAL: OVERLASH		FT
PLACE PEDESTAL		EA	AERIAL: NEW BUILD		FT
PLACE FLUSH DROP BUCKET		EA	PL. U-GUARD RISER ON POLE		EA
PLACE EMT RISER + WALLBOX		EA	DOWN GUY + ANCHOR		EA
R & R SIDEWALK		SF	R & R PAVEMENT		SF

CONTACTS

AHJ CONTACTS		903.693.0391
PANOLA COUNTY VICKI HEINKEL 110 STYAMORE STREET CARTHAGE, TEXAS 75633 vicki.heinkel@co.panola.tx.us		
ENGINEERING CONTACTS		
APEX CIVIL SOLUTIONS, INC. PO BOX 488 ROCKWALL, TEXAS 75087	945.245.APEX	
CHRIS HARDWICK - MANAGING DIRECTOR chris@apexcs.com	945.245.2750	
LUKE SANDFORT, PE - PROJECT MANAGER lsandfort@apexcs.com	214.866.9698	
CONSTRUCTION CONTACTS		
FUTURE INFRASTRUCTURE, LLC 555 S. TOWN EAST BLVD. MESQUITE, TEXAS 75149	972.329.9933	
KYLE HARDIN - AREA MANAGER KHARDIN@firm.com	469.516.0399	

GENERAL NOTES

- THE CONTRACTOR SHALL DIRECT AND OVERSEE THE PROJECT DESCRIBED BY THESE PLANS AND MAINTAIN SOLE RESPONSIBILITY FOR COORDINATING ALL ASPECTS OF THE WORK, INCLUDING CONSTRUCTION TECHNIQUES, MEANS, METHODS, PROCEDURES, SEQUENCES AND SCHEDULING.
- ALL WORK PERFORMED SHALL COMPLY WITH ALL APPLICABLE LAWS, ORDINANCES, CODES, AND REGULATIONS OF ANY MUNICIPALITY OR AUTHORITY PERTAINING TO THE WORK AREA.
- RIGHT OF WAY (R/W), LOT LINES AND/OR EASEMENTS ARE DRAWN BASED ON AVAILABLE PUBLIC RECORDS, NOT ON BOUNDARY SURVEY OR ON-THE-GROUND FIELD EXPOSURES.
- THE EXISTING UNDERGROUND UTILITY LOCATIONS INDICATED IN THESE PLANS ARE GATHERED FROM THE BEST AVAILABLE RECORDS AND HOLD NO GUARANTEE. PRIOR TO THE COMMENCEMENT OF WORK, THE CONTRACTOR SHALL FIELD VERIFY ALL UTILITY LOCATIONS, WHETHER SHOWN IN THE PLANS OR NOT. THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR ANY REPAIRS DUE TO DAMAGE CAUSED BY CONSTRUCTION TO ANY EXISTING UTILITIES, EVEN THOSE NOT SHOWN IN THE PLANS.
- THE CONTRACTOR SHALL HOLD RESPONSIBILITY FOR CONTACTING ALL APPROPRIATE UTILITY COMPANIES AND MUNICIPALITIES A MINIMUM OF 48 HOURS BEFORE WORK SHALL COMMENCE.
- THE CONTRACTOR SHALL TAKE NECESSARY PRECAUTIONS TO PROTECT EXISTING PUBLIC AND PRIVATE FACILITIES DURING CONSTRUCTION. ANY AREAS EFFECTED BY CONSTRUCTION SHALL BE REPAIRED TO ORIGINAL OR BETTER CONDITION BEFORE THE FINALIZATION OF WORK.
- THE CONTRACTOR SHALL COMPLY WITH ALL LOCAL AND FEDERAL LAWS, SAFETY REGULATIONS, OSHA REGULATIONS, UTILITY COMPANY REGULATIONS, AND APPLICABLE MUNICIPAL AUTHORITY.
- ALL APPLICABLE TRAFFIC CONTROL SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND PERFORMED IN ACCORDANCE WITH THE APPROPRIATE MUNICIPALITY GOVERNING THE WORK AREA. ALL REQUIRED TRAFFIC CONTROL DEVICES SHALL BE IN PLACE BEFORE WORK BEGINS. DEVICES NO LONGER REQUIRED SHALL BE REMOVED AS SOON AS POSSIBLE.
- ALL PERSONNEL WHO FLAG PUBLIC ROADWAYS SHALL BE CERTIFIED.
- EXISTING PEDESTRIAN ROUTES SHALL BE MAINTAINED AT ALL TIMES. PEDESTRIANS SHALL NOT BE REROUTED INTO STREETS, TRAFFIC AREAS OR ONTO PRIVATE PROPERTY.
- WRITTEN DIMENSIONS IN THESE DRAWINGS SHALL TAKE PRECEDENCE OVER ANY DISCREPANCIES WITH SCALING. DIMENSIONS TO PAVING ARE TO BACK-OF-CURB UNLESS NOTED OTHERWISE.
- ABBREVIATIONS, TERMINOLOGY AND SYMBOLS ARE CONSIDERED INDUSTRY STANDARD. CONTRACTOR SHALL CONTACT APEX CIVIL SOLUTIONS WITH ANY QUESTIONS.



Know what's below.  
Call before you dig.



### PROPOSED INSTALLATION LINE TYPES




## COMMON SYMBOL LEGEND



1. THE CONTRACTOR SHALL VISIT THE JOB SITE TO REVIEW THE SCOPE OF WORK AND EXISTING SITE CONDITIONS BEFORE WORK BEGINS.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SECURITY OF THE SITE THROUGHOUT THE CONSTRUCTION PROCESS.

1. THE CONTRACTOR SHALL VISIT THE JOB SITE TO REVIEW THE SCOPE OF WORK AND EXISTING SITE CONDITIONS BEFORE WORK BEGINS.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SECURITY OF THE SITE THROUGHOUT THE CONSTRUCTION PROCESS.
3. UNLESS NOTED OTHERWISE, ALL CONDUIT(S) SHALL BE PLACED AT A MINIMUM 42" OF COVER FOR ALL MEANS OF CONSTRUCTION.
4. SEPARATION TO EXISTING UTILITIES SHALL MAINTAIN THE GREATER OF THE FOLLOWING:
  - 4A. 18" FOR NON-PORTING UTILITIES, STORED ON SIDEWALK AT ANY TIME.
  - 4B. 48" AS REQUIRED WITHIN 24" OF EXISTING UTILITIES.
5. NO EQUIPMENT OR MATERIALS SHALL BE STORED OR PERMITTED TO STAND UNPROTECTED WHERE TRAFFIC IS MAINTAINED; STORED ON SIDEWALK AT ANY TIME.
6. EXCAVATION MATERIAL SHALL BE STORED AWAY FROM THE ROADWAY. ANY SPILLED MATERIAL SHALL BE REMOVED IMMEDIATELY.
7. CONSTRUCTION MATERIALS AND STAGING ARE NOT PERMITTED WITHIN 25' BUFFER ZONE OF WETLANDS, CREEKS OR STREAMS.
8. ALL EXCAVATIONS FOR DIRECTIONAL BORING SHALL BE BACKFILLED PER JURISDICTION REQUIREMENTS. OPEN EXCAVATIONS SHALL BE PROTECTED AS NEEDED.
9. CONDUIT CAPS SHALL BE PLACED ON ALL VACANT DUCTS AT THE END OF EACH WORK DAY.
10. A MINIMUM BENDING RADIUS OF 24" WILL BE ADHERED TO. MAXIMUM INSTALLATION TENSION SHALL NOT EXCEED 800 POUNDS.
11. DITCH PROFILE SHALL NOT BE ALTERED BY CONSTRUCTION. HANDHOLES SHALL NOT BE PLACED IN UTILITY FLOWLINE.
12. EXCAVATIONS SHOULD BE PERFORMED OUTSIDE THE DERP LINE OF ALL TREES TO PREVENT ROOT DAMAGE.
13. CONTRACTOR IS RESPONSIBLE FOR THE REMOVAL AND STORAGE OF ANY SHRUBBERY TO BE REMOVED, AND FOR RESTORATION OF ANY IMPACTED AREA TO ORIGINAL OR BETTER CONDITION.
14. THE CURB AND GUTTER SHALL NOT BE DISTURBED WITHOUT PRIOR WRITTEN JURISDICTION APPROVAL. IF REMOVED, A PERMIT WILL BE REQUIRED TO REPLACE SEAM TO SEAM PER JURISDICTION SPECS.
15. NO CITY, COUNTY, OR STATE ROAD SIGN, DELINEATOR, GUARDRAIL, ETC. SHALL BE REMOVED.
16. ALL SURFACE OR SUBSURFACE RESTORATION MUST BE IDENTICAL TO EXISTING. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE COST OF ALL COMPACTING AND SEDIMENT CONTROL REGULATIONS.




STATE ROADWAY	18.0'
OTHER ROADWAY	15.5'
NO VEHICLE ACCESS	13.0'




**MINIMUM AERIAL CLEARANCE**  
REFER TO NESC 232 FOR ADDITIONAL REQ.

1. DETAILS NOT DRAWN TO SCALE.  
2. ALL DETAILS MAY NOT APPLY TO EVERY PROJECT.  
3. IF ANY DISCREPANCY, APPLICABLE JURISDICTION REQUIREMENTS TAKE PRECEDENCE OVER TYPICAL DETAILS.




# REPLACING FULL-DEPTH ASPHALTIC PAVEMENT ON NATURAL SOIL




### DIRECTIONAL BORE - CROSSING DETAIL

==WHERE FEASIBLE, CONDUIT SHALL BE INSTALLED BELOW WET UTILITIES==



## REPLACING ASPHALTIC PAVEMENT ON CONCRETE BASE




### DIRECTIONAL BORE DETAIL

PREPARED BY: **APEX CIVIL SOLUTIONS**





MATCH LINE: SEE SHEET 02

BY:	<b>APEX</b> CIVIL SOLUTIONS NOT TO SCALE JOB NO: PID 3644657	NORTH  DATE: 06.19.2025	NAME: RD0F - CA25E ADDR: COUNTY ROADS OFF FM 1970 FOR:	SHEET: <b>01</b>
			Spectrum	



NOT TO SCALE

NAME: RDOF - CA25E

ADDR: COUNTY ROADS OFF FM 1970



DATE: 06.19.2025

PANOLA COUNTY, TEXAS

02





MATCH LINE: SEE SHEET 04

<b>APEX</b> CIVIL SOLUTIONS NOT TO SCALE JOB NO: PID 3644657		NORTH 	NAME: RDOF - CA25E ADDR: COUNTY ROADS OFF FM 1970 FOR:	SHEET: <b>03</b>
		DATE: 06.19.2025	PANOLA COUNTY, TEXAS	


**Spectrum**



04





<b>BY:</b>  <b>APEX</b> CIVIL SOLUTIONS	<b>NAME:</b> RDOF - CA25E <b>ADDR:</b> COUNTY ROADS OFF FM 1970 <b>FOR:</b>	<b>DATE:</b> 06.19.2025	<b>North</b> 	<b>Spectrum</b>	<b>SHEET:</b> <b>05</b>
<b>NOT TO SCALE</b>					





**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC

(COMPANY NAME)

proposes to place a

Underground conduit 1-2" HDPE

(PIPE SIZE)

line within the Right-of-Way

of County Road: 119, 114, 106, 117, 115, 1151,  
1152, 103, 403, 121, 1212

as follows:

(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 76,600' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 10th day of  
July, 2025

FIRM: Apex Civil Solutions

BY: Luke Sandfort

TITLE: Project Manager

ADDRESS: 2674 Observation Trail

Rockwall, TX 75032

PHONE: (214) 866-9698

# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Luke Sandfort @ Apex Civil Solutions  
2674 Observation Trail  
Rockwall, Tx. 75032

RE: **County Roads #119, #114, #106, #117, #115, #1151, #1152, #103, #403, #121, & #1212**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 1-2" HDPE lines** within the right-of-way of Panola County Roads **#119, #114, #106, #117, #115, #1151, #1152, #103, #403, #121, & #1212**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any

culvert or within 10 feet of the closest point of same.

5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone



PROJECT LOCATION



ESTIMATED PROJECT TOTALS

DESCRIPTION	QUANTITY	UNIT	DESCRIPTION	QUANTITY	UNIT
TRENCH + CONDUIT		FT	PULL THRU EX CLIENT DUCT		FT
BORE + CONDUIT	76,600	FT	PULL THRU EX LEASE DUCT		FT
BORE + CASING		FT	PULL THRU EX SOC		FT
PLACE VAULT		EA	AERIAL: OVERLASH		FT
PLACE PEDESTAL		EA	AERIAL: NEW BUILD		FT
PLACE FLUSH DROP BUCKET		EA	PL. U-GUARD RISER ON POLE		EA
PLACE EMT RISER + WALLBOX		EA	DOWN GUY + ANCHOR		EA
R & R SIDEWALK		SF	R & R PAVEMENT		SF

CONTACTS

AHJ CONTACTS	
PANOLA COUNTY VICKI HEINKEL 110 SYCAMORE STREET CARTHAGE, TEXAS 75633 vicki.heinkel@co.panola.tx.us	903.693.0391
ENGINEERING CONTACTS	
APEX CIVIL SOLUTIONS, INC. PO BOX 488 ROCKWALL, TEXAS 75087	945.245.APEX
CHRIS HARDWICK - MANAGING DIRECTOR chris@apexcs.com	945.245.2750
LUKE SANDFORD, PE - PROJECT MANAGER lsandford@pexcs.com	214.866.9688
CONSTRUCTION CONTACTS	
FUTURE INFRASTRUCTURE, LLC 555 S. TOWN EAST BLVD. MESQUITE, TEXAS 75149	972.329.9933
KYLE HARDIN - AREA MANAGER KHARDIN@prim.com	469.516.0399

GENERAL NOTES

1. THE CONTRACTOR SHALL DIRECT AND OVERSEE THE PROJECT DESCRIBED BY THESE PLANS AND MAINTAIN SOLE RESPONSIBILITY FOR COORDINATING ALL ASPECTS OF THE WORK, INCLUDING CONSTRUCTION TECHNIQUES, MEANS, METHODS, PROCEDURES, SEQUENCES AND SCHEDULING.
2. ALL WORK PERFORMED SHALL COMPLY WITH ALL APPLICABLE LAWS, ORDINANCES, CODES, AND REGULATIONS OF ANY MUNICIPALITY OR AUTHORITY PERTAINING TO THE WORK AREA.
3. RIGHT OF WAY (R/W), LOT LINES AND/OR EASEMENTS ARE DRAWN BASED ON AVAILABLE PUBLIC RECORDS, NOT ON BOUNDARY SURVEY OR ON-THE-GROUND FIELD EXPOSURES.
4. THE EXISTING UNDERGROUND UTILITY LOCATIONS INDICATED IN THESE PLANS ARE GATHERED FROM THE BEST AVAILABLE RECORDS AND HOLD NO GUARANTEE PRIOR TO THE COMMENCEMENT OF WORK. THE CONTRACTOR SHALL VERIFY ALL UTILITY LOCATIONS, WHETHER SHOWN IN THE PLANS OR NOT. THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR ANY REPAIRS DUE TO DAMAGE CAUSED BY CONSTRUCTION TO ANY EXISTING UTILITIES, EVEN THOSE NOT SHOWN IN THE PLANS.
5. THE CONTRACTOR SHALL HOLD RESPONSIBILITY FOR CONTACTING ALL APPROPRIATE UTILITY COMPANIES AND MUNICIPALITIES A MINIMUM OF 48 HOURS BEFORE WORK SHALL COMMENCE.
6. THE CONTRACTOR SHALL TAKE NECESSARY PRECAUTIONS TO PROTECT EXISTING PUBLIC AND PRIVATE FACILITIES DURING CONSTRUCTION. ANY AREAS EFFECTED BY CONSTRUCTION SHALL BE REPAIRED TO ORIGINAL OR BETTER CONDITION BEFORE THE FINALIZATION OF WORK.
7. THE CONTRACTOR SHALL COMPLY WITH ALL LOCAL AND FEDERAL LAWS, SAFETY REGULATIONS, OSHA REGULATIONS, UTILITY COMPANY REGULATIONS, AND APPLICABLE MUNICIPAL AUTHORITY.
8. ALL APPLICABLE TRAFFIC CONTROL SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND PERFORMED IN ACCORDANCE WITH THE APPROPRIATE MUNICIPALITY GOVERNING THE WORK AREA. ALL REQUIRED TRAFFIC CONTROL DEVICES SHALL BE IN PLACE BEFORE WORK BEGINS. DEVICES NO LONGER REQUIRED SHALL BE REMOVED AS SOON AS POSSIBLE.
9. ALL PERSONNEL WHO FLAG PUBLIC ROADWAYS SHALL BE CERTIFIED.
10. EXISTING PEDESTRIAN ROUTES SHALL BE MAINTAINED AT ALL TIMES. PEDESTRIANS SHALL NOT BE REROUTED INTO STREETS, TRAFFIC AREAS OR ONTO PRIVATE PROPERTY.
11. WRITTEN DIMENSIONS IN THESE DRAWINGS SHALL TAKE PRECEDENCE OVER ANY DISCREPANCIES WITH SCALING. DIMENSIONS TO PAVING ARE TO BACK-OF-CURB UNLESS NOTED OTHERWISE.
12. ABBREVIATIONS, TERMINOLOGY AND SYMBOLS ARE CONSIDERED INDUSTRY STANDARD. CONTRACTOR SHALL CONTACT APEX CIVIL SOLUTIONS WITH ANY QUESTIONS.



Know what's below.  
Call before you dig.










MATCH LINE: SEE SHEET 02



BY:	<b>APEX</b> CIVIL SOLUTIONS	NORTH 	NAME: RDOF - CA27E	SHEET: 01
			ADDR: COUNTY ROADS OFF FM 10	
JOB NO: PID 3652282		DATE: 06.19.2025	FOR: Spectrum	PANOLA COUNTY, TEXAS
NOT TO SCALE				





An aerial photograph of a rural landscape, likely in the Southeastern United States, showing a network of roads and fields. A prominent red line, possibly a utility line or a survey boundary, runs through the area, marked with numerous small red squares containing numbers. The terrain is a mix of dark green forested areas and lighter green/brown agricultural fields. Several small buildings and structures are visible scattered throughout the landscape. The red line starts near the top left, moves generally southwards with some east-west deviations, and ends near the bottom right. The numbers on the markers range from 1 to 117, indicating a sequential path or survey points.

BY:			NORTH NAME: <b>RDOF - CA27E</b>	ADDR: <b>COUNTY ROADS OFF FM 10</b>	PANOLA COUNTY, TEXAS
NOT TO SCALE		FOR:		SHEET: <b>02</b>	
JOB NO: <b>PID 3652282</b>					

MATCH LINE: SEE SHEET 05



An aerial photograph of a rural landscape featuring a large body of water labeled "Pandoia Lake". A red line with numbered markers (1 through 15) is overlaid on the map, tracing a path through the area. The path starts near the top left, moves right, then down, then right again, and finally down towards the bottom right. The landscape includes fields, forests, and some buildings. Purple lines also connect some of the red markers, indicating specific segments of the path.



<b>APEX</b> CIVIL SOLUTIONS	NOT TO SCALE	 NORTH	NAME: <b>RDOF - CA27E</b>	ADDRESS: <b>COUNTY ROADS OFF FM 10</b> FOR: <b>PANOLA COUNTY, TEXAS</b>	SHEET: <b>03</b>
			DATE: <b>06.19.2025</b>		
JOB NO: <b>PID 3652282</b>					









<b>BT:</b>  NOT TO SCALE JOB NO: PID 3652282	NORTH 	NAME: <b>RDOF - CA27E</b>	SHEET: <b>05</b>
		ADDR: <b>COUNTY ROADS OFF FM 10</b> FOR:	
		DATE: <b>06.19.2025</b>	

**Spectrum**



**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 1-2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: 274, 275 & 221 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 6,676' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 24th day of  
September, 2025.

FIRM: DFW Telecom

BY: Kylie Lindsay

TITLE: Project Coordinator

ADDRESS: PO Box 450251, Garland, Texas  
75045

PHONE: (405) 201-7089

# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Kylie Lindsay @ DFW Telecom  
P.O. Box 450251  
Garland, Tx. 75045

RE: **County Roads #274, #275, & #221**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 1- 2' HDPE lines** within the right-of-way of Panola County Roads **#274, #275, & #221**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.

5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone













# **NOTICE OF PROPOSED INSTALLATION PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 1-2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: 225, 276, 220, 2771 & 2772 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 6,944' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 24th day of  
September, 2025.

FIRM: DFW Telecom

BY: Kylie Lindsay

TITLE: Project Coordinator

ADDRESS: PO Box 450251, Garland, Texas  
75045

PHONE: (405) 201-7089



# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Kylie Lindsay @ DFW Telecom  
P.O. Box 450251  
Garland, Tx. 75045

RE: **County Roads #225, #276, #220, #2771, & #2772**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 1- 2' HDPE lines** within the right-of-way of Panola County Roads **#225, #276, #220, #2771, & #2772**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.

5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone





NOTE  
CONTRACTOR IS RESPONSIBLE FOR MAINTAINING TRAFFIC CONTROL AS SET FORTH IN THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS

Panola County Road Overall

Project consist of approximately:

Underground: 6,944'

CA50 PID 3718148

Underground on CR 225, CR 276, CR 220, CR 2771 & CR 2772

## GENERAL CONSTRUCTION NOTES

1. ALL CONSTRUCTION WORK WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE DONE IN ACCORDANCE WITH THE ORDINANCES AND REGULATIONS OF THE CITY OF PANOLA.
2. EXISTING UTILITY LOCATIONS SHOWN ARE TAKEN FROM AVAILABLE RECORDS AND MAY NOT BE ALL INCLUDING UTILITY LOCATIONS ARE GENERALLY SHOWN IN NATURE AND MAY NOT ACCURATELY REFLECT THE SIZE AND LOCATION OF THE UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION AND DEPTH OF ALL UTILITIES LOCATED IN THE FIELD AND THE PROTECTION OF ALL EXISTING UTILITIES, WHETHER SHOWN OR NOT, SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE TO UTILITIES AS A DIRECT RESULT OF THE CONSTRUCTION ACTIVITIES WITHIN THE FACILITY IS SHOWN ON THE DRAWINGS OR NOT.
3. THE CONSTRUCTION CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL DEPARTMENTS WITHIN THE MUNICIPALITY AND THE UTILITY COMPANIES AT LEAST 14 DAYS PRIOR TO THE COMMENCEMENT OF WORK.



CALL BEFORE YOU DIG

811


IT'S THE LAW

4. IT SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR TO: A) PREVENT DAMAGE TO PRIVATE AND PUBLIC PROPERTY, B) RESTORE ALL AREAS EFFECTED BY THE CONSTRUCTION TO ORIGINAL OR BETTER CONDITION.

5. BARRICADES AND TRAFFIC CONTROL SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR AND SHALL BE MAINTAINED DURING ALL PHASES OF CONSTRUCTION. THE CONSTRUCTION CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES, WHETHER SHOWN OR NOT, AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO UTILITIES AS A DIRECT RESULT OF THE CONSTRUCTION ACTIVITIES WITHIN THE FACILITY IS SHOWN ON THE DRAWINGS OR NOT.
6. THE CONSTRUCTION CONTRACTOR SHALL ABIDE BY ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS GOVERNING EXCAVATION. THE CONSTRUCTION CONTRACTOR SHALL PROVIDE ALL TRENCH SAFETY SYSTEMS THAT COMPLY WITH ALL ASPECTS OF WORK RELATED TO EXCAVATION.
7. ALL CONCRETE USED IN ANY ROADWAY SHALL BE IN COMPLIANCE WITH THE SPECIFIED CLASSES OF CONCRETE IN THE STANDARD SPECIFICATIONS 5.5 "PORTLAND CEMENT CONCRETE PAVEMENT" AND 7.4.5 "QUALITY OF CONCRETE" AND SHALL BE TESTED TO THE STANDARD SPECIFICATIONS 5.5.1 "PORTLAND CEMENT CONCRETE PAVEMENT" AND 7.4.5.1 "QUALITY OF CONCRETE" BY THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TESTING AND REPORTING OF ALL CONCRETE TESTS.
8. ALL REINFORCING STEEL AND CONCRETE SHALL BE SUPPORTED AND MAINTAINED AT THE CORRECT CLEARANCES BY THE USE OF BARS OR OTHER APPROVED SUPPORT.
9. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 4" OF COVER, UNLESS OTHERWISE SPECIFIED.
10. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 4" OF COVER, UNLESS OTHERWISE SPECIFIED. THE TYPE OF EQUIPMENT USED TO OBTAIN THE REQUIRED DENSITY, SAND AND DEBRIS FREE MATERIAL WILL BE USED FOR BACKFILL.



UNDERGROUND CONDUIT 1-2" HDPE




PREPARED BY: DFW TELECOM, INC













**CA50 PID 3718148**

Underground on CR 225, CR 276, CR 220, CR 2771  
& CR 2772

- Legend**
- Existing Pole
  - Pedestal
  - Underground Cable





**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 1-2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: 222, 223 & 224 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 10,266' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 24th day of  
September, 2025.

FIRM: DFW Telecom

BY: Kylie Lindsay

TITLE: Project Coordinator

ADDRESS: PO Box 450251, Garland, Texas  
75045

PHONE: (405) 201-7089

# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Kylie Lindsay @ DFW Telecom  
P.O. Box 450251  
Garland, Tx. 75045

RE: **County Roads #222, #223, & #224**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 1- 2' HDPE lines** within the right-of-way of Panola County Roads **#222, #223, & #224**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.



5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone






**NOTE**  
CONTRACTOR IS RESPONSIBLE TO MAINTAIN TRAFFIC CONTROL AS SET FORTH IN THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS


Panola County Road Overall

CA50 PID 3718148

Underground on CR 224, CR 223 & CR 222



UNDERGROUD CONDUIT 1-2" HDPE



Google Earth







**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: CR 301 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 2,195' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 8th day of  
September, 2025.

FIRM: DFW Telecom  
BY: Kylie Lindsay  
TITLE: Project Coordinator  
ADDRESS: PO Box 450251, Garland, Texas  
75045  
PHONE: (405) 201-7089



# APPROVAL

July 1, 2025

TO: Spectrum Gulf Coast, LLC  
Attn: Kylie Lindsay @ DFW Telecom  
P.O. Box 450251  
Garland, Texas 75045

RE: **County Roads #301, & #302**

The Panola County Commissioners' Court offers no objection to the location on the right-of-way of your proposed **Underground Conduit 2' HDPE lines** within the right-of-way of Panola County Roads **#301 & #302**.

It is expressly understood that the County Commissioners' Court does not purpose hereby, to grant any right, claim, title or easement in or upon this county road. It is further understood that in the future should for any reason the county need to work, improve, relocate, widen, increase, add to, or in any manner change the structure of this right-of-way, any required relocation of said lines shall be at the sole expense of owner.

All work on the county right-of-way shall be performed in accordance with the county instructions. The installations shall not damage any part of the road and adequate provisions must be made to cause minimum inconvenience to traffic and adjacent owners. Special specifications for placing this line are as follows:

1. All lines are to be installed a minimum of 36 inches below the flow line of the adjacent drainage or barrow ditch.
2. All excavation within the right-of-way and not under surfacing shall be backfilled by tamping in 6 inch horizontal layers. All surplus material shall be removed from the right-of-way and the excavation finished flush with surrounding natural ground.
3. Lines crossing under surfaced roads and under surfacing cross roads within the right-of-way shall be placed by boring. Boring shall extend from crown line to crown line. Gravity from sewer lines under roadways shall be cast iron pipe.
4. All lines, where practicable, shall be located to cross roadbed at approximately right angles thereto. No lines are to be installed under or within 50 feet of either end of any bridge. No lines shall be placed in any culvert or within 10 feet of the closest point of same.

5. Parallel line will be installed as near the right-of-way lines as is possible and no parallel line will be installed in the roadbed or between the drainage ditch and the roadbed without special permission of the Panola County Commissioners' Court.
6. Operations along roadbeds shall be performed in such manner that all excavated material be kept off the pavement at all times, as well as all operating equipment and materials. No equipment or installation procedures will be used which will damage any road surface or structures. The cost of any repairs to road surface, roadbed, structures or other right-of-way features as a direct result of this installation will be borne by the owner of this line.
7. Barricades, warning signs, lights, and flag man(men) when necessary shall be provided by the contractor or owner. One-half (1/2) of the traveled portion of the road must be open at all times.

Approved:   
COUNTY JUDGE

COMMISSIONERS:

Precinct #1	Billy Alexander
Precinct #2	David A. Cole
Precinct #3	Craig M. Lawless
Precinct #4	Dale LaGrone





NOTE  
CONTRACTOR IS RESPONSIBLE TO MAINTAIN TRAFFIC CONTROL  
AS SET FORTH IN THE TEXAS MANUAL ON UNIFORM TRAFFIC  
CONTROL DEVICES FOR STREETS AND HIGHWAYS

Project consist of approximately:



Panola County Road Overall

Underground: 2,195'




# GENERAL CONSTRUCTION NOTES

1. ALL CONSTRUCTION WORK WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE DONE IN ACCORDANCE WITH THE ORDINANCES AND REGULATIONS OF THE MUNICIPALITY IN WHICH THE WORK IS TO BE PERFORMED.
2. EXISTING UTILITY LOCATIONS SHOWN ARE TAKEN FROM AVAILABLE RECORDS AND MAY NOT BE ALL INCLUSIVE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR THE LOCATION OF EACH PARTICULAR UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF EACH PARTICULAR UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF EACH PARTICULAR UTILITY.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE MUNICIPALITY AND THE UTILITY COMPANIES AT LEAST TWO WORKING DAYS PRIOR TO THE COMMENCEMENT OF WORK.
4. IT SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR TO: A) PREVENT DAMAGE TO PRIVATE AND PUBLIC PROPERTY; B) RESTORE ALL AREAS AFFECTED BY THE CONSTRUCTION TO ORIGINAL OR BETTER CONDITION.
5. BARRICADE AND TRAFFIC CONTROL SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR AND SHALL CONFORM TO THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES. TRAFFIC FLOW AND ACCESS SHALL BE MAINTAINED AT ALL TIMES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF EACH PARTICULAR UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF EACH PARTICULAR UTILITY.
6. THE CONSTRUCTION CONTRACTOR SHALL ABIDE BY ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS GOVERNING THE CONSTRUCTION OF UNDERGROUND CABLES. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL ASPECTS OF WORK RELATED TO EXCAVATION.
7. ALL CONCRETE USED IN ANY ROADWAY SHALL BE IN COMPLIANCE WITH THE SPECIFIED CLASSES OF CONCRETE IN THE STANDARD SPECIFICATIONS TO THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR PUBLIC WORKS CONSTRUCTION - 2004. ALL OTHER CONCRETE SHALL BE CLASS A CONCRETE.
8. ALL REINFORCING STEEL AND CORREL BARS IN PAVEMENT SHALL BE SUPPORTED AND MAINTAINED AT THE CORRECT CLEARANCES BY THE USE OF BMT CHAIRS OR OTHER APPROVED SUPPORT.
9. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 42" OF COVER, UNLESS OTHERWISE SPECIFIED.
10. ALL BACKFILLING WILL BE MECHANICALLY TAMPED IN LIFTS TO A DENSITY OF 90% PROCTOR. THE REQUIRED DENSITY WILL BE OBTAINED BY USING TAMPER, RAMMERS OR ROLLING EQUIPMENT. LIFTS MAY VARY ACCORDING TO THE TYPE OF MATERIAL USED TO OBTAIN THE REQUIRED DENSITY. SAND AND GRAVEL FILL MATERIAL WILL BE USED FOR BACKFILL.



UNDERGROUND CONDUIT 1-2" HDPE



PREPARED BY: DFW TELECOM, INC

**NOTICE OF PROPOSED INSTALLATION  
PIPELINE AND/OR UTILITY LINES**

TO: THE PANOLA COUNTY COMMISSIONER'S COURT

c/o

PANOLA COUNTY ROAD & BRIDGE DEPARTMENT, CARTHAGE, TEXAS

Formal notice is hereby given that:

Spectrum Gulf Coast, LLC proposes to place a  
(COMPANY NAME)

Underground Conduit 2' HDPE line within the Right-of-Way  
(PIPE SIZE)

of County Road: CR 302 as follows:  
(NUMBER OF ROAD)

The proposed pipeline will cross under the indicated roads on the attached sheet.  
Installation shall be made by boring a total length of 836' line in Panola County.

The location and description of the proposed line and appurtenances is more fully shown by the copies of the drawings attached to this notice. The line will be constructed and maintained on the County Right-of-Way as directed by the County Commissioners in accordance with current Panola County Specifications.

Construction of this line will begin on or after the 8th day of  
September, 2025.

FIRM: DFW Telecom

BY: Kylie Lindsay

TITLE: Project Coordinator

ADDRESS: PO Box 450251, Garland, Texas

75045

PHONE: (405) 201-7089





CONTRACTOR IS RESPONSIBLE FOR  
AS SET FORTH IN THE TEXAS MANUAL ON UNIFORM TRAFFIC  
CONTROL DEVICES FOR STREETS AND HIGHWAYS



Project consist of approximately:

Panola County Road Overall


Underground: 836'

### GENERAL CONSTRUCTION NOTES

1. ALL CONSTRUCTION WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS.
2. EXISTING UTILITY LOCATIONS SHOWN ARE TAKEN FROM AVAILABLE RECORDS AND MAY NOT BE ALL INCLUSIVE. THE CONTRACTOR SHALL VERIFY THE LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING FACILITIES, WHETHER SHOWN OR NOT, AND FOR THE REPAIR OF ALL FACILITIES DAMAGED AS A DIRECT RESULT OF THE CONSTRUCTION ACTIVITIES. THE FACILITY IS SHOWN ON THE DRAWINGS OR NOT.
3. THE CONSTRUCTION CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM THE MUNICIPALITY AND THE UTILITY COMPANIES PRIOR TO THE COMMENCEMENT OF WORK.
4. CALL BEFORE YOU DIG
5. IT'S THE LAW
6. IT SHALL BE THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR TO: A) PREVENT DAMAGE TO PRIVATE AND PUBLIC PROPERTY, B) RESTORE ALL AREAS EFFECTED BY THE CONSTRUCTION TO ORIGINAL OR BETTER CONDITION.
7. ALL CONCRETE USED IN ANY ROADWAY SHALL BE IN COMPLIANCE WITH THE SPECIFIED CLASS OF CONCRETE IN THE STANDARD SPECIFICATIONS 5.8 "PORTLAND CEMENT CONCRETE, PAWMENT" AND 7.4.5 "QUALITY OF CONCRETE" CONSTRUCTION BY TEXAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING FACILITIES, WHETHER SHOWN OR NOT, AND FOR THE REPAIR OF ALL FACILITIES DAMAGED AS A DIRECT RESULT OF THE CONSTRUCTION ACTIVITIES. THE FACILITY IS SHOWN ON THE DRAWINGS OR NOT.
8. ALL REINFORCING STEEL AND CONCRETE SHALL BE SUPPORTED AND MAINTAINED AT THE CORRECT CLEARANCES BY THE USE OF BENT CHAIRS OR OTHER APPROVED SUPPORT.
9. ALL CONDUIT MUST BE PLACED WITH A MINIMUM 4" OF COVER UNLESS OTHERWISE SPECIFIED.
10. ALL SHOULDER SHALL BE REINFORCED WITH A MINIMUM 5% OF COVER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING FACILITIES, WHETHER SHOWN OR NOT, AND FOR THE REPAIR OF ALL FACILITIES DAMAGED AS A DIRECT RESULT OF THE CONSTRUCTION ACTIVITIES. THE FACILITY IS SHOWN ON THE DRAWINGS OR NOT.




UNDERGROUND CONDUIT 1-2" HDPE



PREPARED BY: DFW TELECOM, INC

APPROVED 07-01-2025

Rodger G. McLane  
County Judge



~~PANOLA COUNTY OFFICIAL/EMPLOYEE~~

**REQUEST FOR ATTENDANCE AT A CONFERENCE**

NAME: Loretta Mason  
POSITION: Elections Administrator  
DEPARTMENT: Elections  
DATE: 06/19/2025

CONFERENCE: TEAM Training  
LOCATION: Athens, Tx  
DATES: July20-July 22, 2025

NUMBER OF DAYS OUT OF OFFICE FOR THIS CONFERENCE: 2

Does the conference meet your educational requirements for the year? \_\_\_\_\_

If not how much of your requirements will be met by this conference? \_\_\_\_\_

How much of your requirements have been met already, not counting this conference?  
\_\_\_\_\_

How many days have you been away from your job this year for conferences, not counting this conference? 2

Do you have sufficient funds in your budget for this conference? Yes


Write a short statement explaining the public purpose that will be met by your attendance at this conference: (continue on the back if necessary.)

Election training on the new Team system  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



APPROVED 07-01-2025

Rodger G. McLane  
County Judge



~~PANOLA COUNTY OFFICIAL/EMPLOYEE~~

**REQUEST FOR ATTENDANCE AT A CONFERENCE**

NAME: Kelsey Gates  
POSITION: Assistant EA/VR  
DEPARTMENT: Elections  
DATE: 06/19/2025

CONFERENCE: TEAM Training  
LOCATION: Athens, Tx  
DATES: July20-July 22, 2025

NUMBER OF DAYS OUT OF OFFICE FOR THIS CONFERENCE: 2

Does the conference meet your educational requirements for the year? \_\_\_\_\_

If not how much of your requirements will be met by this conference? \_\_\_\_\_

How much of your requirements have been met already, not counting this conference?  
\_\_\_\_\_

How many days have you been away from your job this year for conferences, not counting this conference? 2

Do you have sufficient funds in your budget for this conference? Yes

Write a short statement explaining the public purpose that will be met by your attendance at this conference: (continue on the back if necessary.)

Election training on the new Team system  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED 07-01-2025

Rodger G. McLane  
County Judge

*Rodger G. McLane*

**PANOLA COUNTY OFFICIAL / EMPLOYEE REQUEST FOR CONFERENCE**

NAME: Colton McNair  
POSITION: Deputy  
DEPARTMENT: Panola County Sheriff's Office  
DATE: 06/09/2025

CONFERENCE: Applicant Background Investigation and Oral Interview Techniques

LOCATION: Tyler Police Department Faulkner Station

DATES: 8/6/2025 TO 8/7/2025

NUMBER OF DAYS OUT OF OFFICE FOR THIS CONFERENCE: 2

Does this conference meet your educational requirements for the year? Yes

If not, how much of your requirements will be met by this conference? \_\_\_\_\_

How much of your requirements have been met already, not counting this conference? 473 hours

How many days have you been away from your job this year for conferences, not counting this conference? 5 days

Do you have sufficient funds in your budget for this conference? \_\_\_\_\_

Write a short statement explaining the public purpose that will be met by your attendance at this conference: (continue on the back if necessary.)

Help improve abilities as a Background Investigator  
and improve effectiveness during the hiring process in selection  
of candidates applying to positions within the Sheriff's Office

*Colton McNair #344* 6/9/25



APPROVED 07-01-2025

Rodger G. McLane  
County Judge

*Rodger G. McLane*

**PANOLA COUNTY OFFICIAL / EMPLOYEE REQUEST FOR CONFERENCE**

\_\_\_\_\_**ONLINE**                      **X** \_\_\_\_\_**IN PERSON**

NAME: HOLLIE MOJICA

POSITION: DEPUTY

DEPARTMENT: Panola County Sheriff's Office

DATE: 06/09/2025

CONFERENCE: Applicant Background Investigation and Oral Interview Techniques

LOCATION: Tyler Police Department Faulkner Station

DATES: \_\_\_\_\_ TO \_\_\_\_\_

NUMBER OF DAYS OUT OF OFFICE FOR THIS CONFERENCE: 2

Does this conference meet your educational requirements for the year? YES

If not, how much of your requirements will be met by this conference? \_\_\_\_\_

How much of your requirements have been met already, not counting this conference? ALL

How many days have you been away from your job this year for conferences, not counting this conference? 4

Do you have sufficient funds in your budget for this conference? \_\_\_\_\_

Write a short statement explaining the public purpose that will be met by your attendance at this conference: (continue on the back if necessary.)

THIS CLASS WILL HELP ME BETTER UNDERSTAND HOW  
TO PROPERLY CONDUCT A BACKGROUND INVESTIGATION  
AND EMPLOY OUR DEPARTMENT WITH SKILLED  
AND KNOWLEDGEABLE EMPLOYEES.

APPROVED 07-01-2025

Rodger B. McDaniel COUNTY OFFICIAL/EMPLOYEE

County Judge REQUEST FOR ATTENDANCE

AT A CONFERENCE

Rodger B. McDaniel

NAME:

Eric Hillman

POSITION:

Assistant District Attorney

DEPARTMENT:

District Attorney's Office

DATE:

6/16/2025

CONFERENCE:

TACAA Prosecutor Trial Skills

LOCATION:

414D Governors Row, Austin, TX 78744

DATES:

7/13/2025 to 7/18/2025

NUMBER OF DAYS OUT OF OFFICE FOR THIS CONFERENCE: 5

Does the conference meet your educational requirements for the year? yes

If not, how much of your requirements will be met by this conference?

How much of your requirements have been met already, not counting this conference?

How many days have you been away from your job this year for conferences, not counting this conference? 0

Do you have sufficient funds in your budget for this conference?

Write a short statement explaining the public purpose that will be met by your attendance at this conference: (continue on the back if necessary.)

The conference will update my trial skills for my current assignment.

[Signature]



APPROVED 07-01-2025

Rodger G. McLane

County Judge

*Rodger G. McLane*

**PANOLA COUNTY OFFICIAL / EMPLOYEE REQUEST FOR CONFERENCE**

       **ONLINE**

       **IN PERSON**

NAME:

Sean Howard

POSITION:

Courthouse Security

DEPARTMENT:

Panola Co. Sheriff's Office

DATE:

June 20, 2025

CONFERENCE:

Court Security Specialist

LOCATION:

Longview, Texas

DATES:

June 23, 2025 to June 27, 2025

NUMBER OF DAYS OUT OF OFFICE FOR THIS CONFERENCE:

5

Does this conference meet your educational requirements for the year?       

If not, how much of your requirements will be met by this conference? 40 hours

How much of your requirements have been met already, not counting this conference?       

How many days have you been away from your job this year for conferences, not counting this conference?       

Do you have sufficient funds in your budget for this conference? Yes

Write a short statement explaining the public purpose that will be met by your attendance at this conference: (continue on the back if necessary.)

Relatable training